

Technical Data Sheet

Universal Pigment Paste – Tinting System  ForColor



Date of issue: 25.04.2013

Update: 14.04.2022

BETAPRINT® Green 177

C.I. - P.G.17

Chemical characteristics of the pigment:	Chromium Oxide Green Cr ₂ O ₃	CN Code.: 3206 49 70
Physical nature of the product :	Fluid	

Product description

BETAPRINT® Green 177 is a water based dispersion of pigment, dispersants and other auxiliary means.

Product features

pH	7-9
Density approx. (g/cm ³)	1,9±5%
Viscosity* (cP)	500-5000
Colour accuracy, ΔE, max.	1,3
Pigment light fastness	
Full shade	8
Tint shade 1/3	8
Pigment weathering fastness	
Full shade	5
Tint shade 1/3	5

Applications

Emulsion, alkyd paints, enamels, silicate, silicone and acrylic plasters.

Warranty period

12 months from the date of manufacture.

Transport and storage

Store and transport in tightly sealed containers made of polyethylene or in metal barrels secured from inside with lacquer coat at temperatures between 5 and 40°C.

*Viscotester 6R, PN-EN ISO 3219

The data are based on our current knowledge and are intended to provide general notes on our products, their technical data and applications. It does not relieve processors from carrying out their own investigations and tests. They also cannot be regarded as a guarantee in the legal sense.