Pigment paste for paints and plasters



# BETAPRINT<sup>®</sup> Violet 232 (BETAPRINT<sup>®</sup> Fioletowy 232)

Date od issue:	17.05.2013
Update:	16.12.2022

## Colour Index P.V. 23

Chemical characteristics of the pigment:	Dioxazine	CN Code	3204 17 00
Physical nature of the product :	Fluid		

### **Product description**

BETAPRINT<sup>®</sup> Violet 232 is water based dispersion of pigment, dispersants and other auxiliary means.

#### **Product features**

<b>pH</b> PN-EN ISO 787-9	7-9		
Density* (g/cm <sup>3</sup> ) PN-EN ISO 2811-1	1,129±5%		
Viscosity (cP) Brookfield R4/50, 20±0,5°C, PN-EN ISO 3219	100-500		
Pigment concentration approx. (%)	35		
Pigment light fastness			
Full shade	7		
Tint shade 1/3	7		
Pigment weathering fastness			
Full shade	5		
Tint shade 1/3	4-5		

#### Applications

Emulsion paints, enamels, silicone and acrylic plasters.

#### Warranty period

12 months from the date of manufacture.

#### **Transport and storage**

Store and transport in tightly sealed containers made of polyethylene or in metal barrels secured from inside with lacquer coat at temperatures between 5 and 40°C.

The data are based on our current knowledge and are intended to provide general notes on our products, their technical data and applications. They do not relieve processors from carrying out their own investigations and tests. They also cannot be regarded as a guarantee in the legal sense.